

Table 2
Summary of groundwater field parameters - February 2019

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)
SRT_BH047	Event 6 - Feb 2019	20/02/2019	4.516	6.94	0.35	439.6	8.73	111.4	20.4
SRT_BH052	Event 6 - Feb 2019	20/02/2019	5.565	7.88	4.05	389	7.14	150.1	21.1
SRT_BH059	Event 6 - Feb 2019	20/02/2019	3.156	6	2.93	394.2	7.07	147.9	21.4
SRT_BH063	Event 6 - Feb 2019	21/02/2019	10.715	14.5	3.76	711	6.61	110.5	21.7
SRT_CBH015	Event 6 - Feb 2019	20/02/2019	3.761	5.91	0.4	229	5.44	204.1	21.1
SRT_CBH017	Event 6 - Feb 2019	20/02/2019	2.856	4.94	2.53	149.2	5.93	193.8	22.3



Table 1
Summary of groundwater analytical results - February 2019

			Iron speciation		Inorganics		idity & Alkalin		Major Ions				Nutrients		Metals								BTEXN								TRH - NEPM 2013											
			Ferrous Iron		Cyanide (Total)			Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Nitrate (as N)	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (II+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	Naphthalene (BTEXN)	BTEX (Sum of Total) - Lab Calc	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	
EQL			mg/L		mg/L			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
			0.05		0.005			10	20	0.5	0.5	0.5	0.5	1	5	0.01	0.02	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005	1	1	1	1	2	3	10	1	20	20	50	50	100	100	100	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																																										
2-4m																											5000	NL	NL			NL	NL		6000		NL					
4-8m																											5000	NL	NL			NL	NL		6000		NL					
>8m																											5000	NL	NL			NL	NL		7000		NL					
NEPM 2013 Table 1C GILs, Marine Waters					0.004														0.0007	0.0044	0.0013	0.0044			0.0001	0.007	0.015	500					NL	50								
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-domestic)					1													1	1	3	5	2	10	0.03	3	5	100	500	1000			1000										
Field_ID	Location_Code	Sampled_Date_Time	Sample_Type																																							
QA01	SRT_CBH017	20/02/2019	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	0.002	<0.001	<0.001	-	<0.0001	0.01	0.023	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100	
QA02	SRT_BH063	21/02/2019	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.001	<0.0001	0.001	0.004	<0.001	-	<0.0001	0.007	0.005	<1	<2	<2	<2	<2	<2	-	<1	<20	<20	<100	<100	<100	<100	<100	
SRT_BH047	SRT_BH047	20/02/2019	Normal	<0.05	<0.005	<10	100	26	6.6	1.3	53	26	12	<0.01	19	<0.001	<0.0002	<0.001	0.018	0.002	0.008	<0.0001	0.002	0.013	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	430	430	1400	300	2130			
SRT_BH052	SRT_BH052	20/02/2019	Normal	<0.05	<0.005	61	130	14	3.6	1.6	60	42	28	<0.01	6.2	<0.001	<0.0002	<0.001	0.006	<0.001	0.006	<0.0001	<0.001	0.006	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100			
SRT_BH059	SRT_BH059	20/02/2019	Normal	<0.05	<0.005	<10	170	69	7.7	6.7	14	11	12	<0.01	2.5	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.005	<0.0001	<0.001	<0.005	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100			
SRT_BH063	SRT_BH063	21/02/2019	Normal	0.05	<0.005	<10	250	51	33	5.8	73	71	61	<0.01	0.13	<0.001	<0.0002	<0.001	0.029	0.002	0.009	<0.0001	0.01	0.034	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100			
SRT_CBH015	SRT_CBH015	20/02/2019	Normal	0.05	<0.005	<10	30	2.5	4.4	3.1	23	13	49	<0.01	3	<0.001	<0.0002	<0.001	0.001	<0.001	6.6	<0.0001	0.01	0.023	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100			
SRT_CBH017	SRT_CBH017	20/02/2019	Normal	<0.05	<0.005	<10	32	8.7	5	2.7	9.6	15	16	<0.01	3.1	<0.001	<0.0002	<0.001	0.032	0.002	1	<0.0001	0.01	0.033	<1	<1	<1	<1	<2	<3	<10	-	<20	<20	<50	<50	<100	<100	<100			



Table 1
Summary of groundwater analytical results - February 2019

	NEPM 2013 - SG Cle				TRH - NEPM 1999				RH - NEPM 1999 - SG Clean				PAHs																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	>C10-C16 SG Cleanup		>C16-C34 SG Cleanup		>C34-C40 SG Cleanup		C6-C9 Fraction		C10-C14 Fraction		C15-C28 Fraction		C29-C36 Fraction		C10-C36 (Sum of Total)		C10-C14 SG Cleanup		C15-C28 SG Cleanup		C29-C36 SG Cleanup		C10-C36 (sum) SG Cleanup		Acenaphthene		Acenaphthylene		Anthracene		Benz(a)anthracene		Benzo(a) pyrene		Benzo(b+j)fluoranthene		Benzo(k)fluoranthene		Benzo(g,h,i)perylene		Chrysene		Dibenz(a,h)anthracene		Fluoranthene		Naphthalene		Fluorene		Indeno(1,2,3-c,d)pyrene		Naphthalene-PAH		Phenanthrene		Pyrene		PAHs (Sum of total) - Lab calc		Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L



Table 1
Summary of groundwater analytical results - February 2019

				Phenols																	OC Pesticides																													
				3,4-Methylphenol (m,p-cresol)	2,4,5-trichlorophenol	2,4,6-trichlorophenol	2,4-dichlorophenol	2,4-dimethylphenol	2,4-dinitrophenol	2,6-dichlorophenol	2-chlorophenol	2-methylphenol	2-nitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-chloro-3-methylphenol	4-nitrophenol	Pentachlorophenol	Phenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenols (Total Non Halogenated)	Organochlorine pesticides EPA Vic	Other organochlorine pesticides EPA Vic	4,4'-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	d-BHC	4,4 DDD	4,4 DDT	DDT+DDE+DDD - Lab Calc	Dieldrin	Endosulfan I (alpha)	Endosulfan II (beta)	Endosulfan Sulfate	Endrin	Endrin aldehyde	Endrin ketone	g-BHC (Lindane)	Heptachlor	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene			
				µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
EQL				6	10	10	3	3	30	3	3	3	10	30	100	10	30	10	3	30	10	100	1	1	0.1	0.1	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	10	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																																																		
2-4m																																																		
4-8m																																																		
>8m																																																		
NEPM 2013 Table 1C GILs, Marine Waters																		11	400																				0.004											
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-domestic)																																																		
Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
QA01	SRT_CBH017	20/02/2019	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
QA02	SRT_BH063	21/02/2019	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SRT_BH047	SRT_BH047	20/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10	
SRT_BH052	SRT_BH052	20/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10
SRT_BH059	SRT_BH059	20/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10
SRT_BH063	SRT_BH063	21/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10
SRT_CBH015	SRT_CBH015	20/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10
SRT_CBH017	SRT_CBH017	20/02/2019	Normal	<6	<10	<10	<3	<3	<30	<3	<3	<3	<10	<30	<100	<10	<30	<10	<3	<30	<10	<100	<1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<10



Table 1
Summary of groundwater analytical results - February 2019

	OP Pesticides																														PCBs								Herbicides						
	Tokuthion	Azinphos methyl	Bolstar (Sulprofos)	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl	Coumaphos	Demeton-O	Demeton-S	Diazinon	Dichlorvos	Dimethoate	Disulfoton	EPN	Ethion	Ethoprop	Fenitrothion	Fensulfothion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Parathion	Phorate	Pirimiphos-methyl	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260	PCBs (Total)	Dinoseb		
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
EQL	2	2	2	2	20	2	20	2	20	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	20	2	2	2	2	2	1	1	1	1	1	1	1	1	1	100	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																																													
2-4m																																													
4-8m																																													
>8m																																													
NEPM 2013 Table 1C GILs, Marine Waters					0.009																																								
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-domestic)																																													
Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
QA01	SRT_CBH017	20/02/2019	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
QA02	SRT_BH063	21/02/2019	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SRT_BH047	SRT_BH047	20/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100
SRT_BH052	SRT_BH052	20/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100
SRT_BH059	SRT_BH059	20/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100
SRT_BH063	SRT_BH063	21/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100	
SRT_CBH015	SRT_CBH015	20/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100	
SRT_CBH017	SRT_CBH017	20/02/2019	Normal	<2	<2	<2	<2	<20	<2	<20	<2	<20	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<100	