



Table 2
Summary of Groundwater Field Parameters - September 2020

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 24 - Sept 2020	14/09/2020	20.025	33.03	0.32	727	6.61	-17.7	20.3	Light brown, cloudy, no odour/sheen
CSM_BH04	Event 24 - Sept 2020	14/09/2020	21.1	33.675	0.9	486.4	5.59	94.6	20.8	Brown, turbid, no odour/sheen
CSM_BH06	Event 24 - Sept 2020	14/09/2020	20.49	35.36	0.29	837	6.22	-13.7	22.2	Cloudy, turbid, no odour/sheen
CSM_BH08	Event 24 - Sept 2020	14/09/2020	13.467	34.92	0.14	548	6.37	-34.5	20.7	Clear, no odour/sheen
CSM_BH09S	Event 24 - Sept 2020	16/09/2020	4.92	6.59	0.15	453.8	5.98	43.3	19.8	Clear to light brown, slightly turbid, no odour/sheen
CSM_BH10S	Event 24 - Sept 2020	15/09/2020	4.12	9.84	0.29	256.3	5.33	228	20.7	Brown cloudy, no odour/sheen
CSM_BH11S	Event 24 - Sept 2020	15/09/2020	DRY	5.685	-	-	-	-	-	DRY
GASW_BH7	Event 24 - Sept 2020	15/09/2020	DRY	6.2	-	-	-	-	-	DRY
GASW_BH10	Event 24 - Sept 2020	14/09/2020	19.102	24.87	0.44	1122	6.49	-108.5	19.8	Grey cloudy, organic odour, no sheen
GASW_BH11	Event 24 - Sept 2020	16/09/2020	7.225	8.05	3.16	265.8	5.91	131.1	18.8	Brown cloudy, no odour/sheen
GASW_BH23	Event 24 - Sept 2020	15/09/2020	3.653	3.91	-	-	-	-	-	Black to dark grey, turbid, strong hydrocarbon odour, and no sheen
GASW_BH25A	Event 24 - Sept 2020	16/09/2020	2.29	2.95	-	-	-	-	-	Dark grey, cloudy, hydrocarbon odour, no sheen
SRT_BH047	Event 24 - Sept 2020	15/09/2020	4.965	6.94	1.8	368	7.4	119.9	19.5	Grey, cloudy, turbid, no odour/sheen
SRT_BH050	Event 24 - Sept 2020	15/09/2020	DRY	2.775	-	-	-	-	-	DRY
SRT_BH052	Event 24 - Sept 2020	15/09/2020	6.295	7.915	2.23	331	6.22	160.5	19.8	Clear to slightly cloudy, no odour/sheen
SRT_BH059	Event 24 - Sept 2020	15/09/2020	5.365	6	2.86	351.3	7.17	133.4	19.6	Brown cloudy, no odour/sheen



Table 1
Summary of Groundwater Analytical Results - September 2020

	Inorganics				Acidity & Alkalinity					Major Ions						Nutrients	Metals									
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)	
	pH Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
EQL	0.1	10	1	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																										
2-4m																										
4-8m																										
>8m																										
NEPM 2013 Table 1C GILs, Marine Waters				0.004												0.91 ^{#1}		0.0007	0.0044	0.0013	0.0044		0.0001	0.007	0.015	
NHMRC Recreational Guidelines 2008 - Health				0.8											5000		0.1	0.02		20	0.1	5	0.01	0.2		
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-do	7-10			1													1	1	3	5	2	10	0.03	3	5	

Field_ID	Location_Code	Sampled_Date	Sample_Type																									
CSM_BH02	CSM_BH02	14/09/2020	Normal	7.9	420	1100	<0.004	<10	240	<20	240	200	35	28	<5	92	85	34	0.05	0.001	<0.0002	<0.001	0.003	<0.001	0.49	<0.0001	0.019	0.014
QC02	CSM_BH02	14/09/2020	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.002	<0.0002	<0.001	0.002	<0.001	-	<0.0001	0.02	0.014
CSM_BH04	CSM_BH04	14/09/2020	Normal	6.7	260	330	<0.004	<10	95	<20	95	73	7.4	13	<5	70	73	34	0.13	<0.001	<0.0002	<0.001	0.083	0.003	0.44	<0.0001	0.032	0.11
CSM_BH06	CSM_BH06	14/09/2020	Normal	7	440	200	<0.004	<10	86	<20	86	140	20	22	<5	96	200	20	0.09	0.002	<0.0002	<0.001	0.002	<0.001	0.4	<0.0001	0.017	0.043
CSM_BH08	CSM_BH08	14/09/2020	Normal	6.9	280	14	<0.004	<10	94	<20	94	71	8.3	12	<5	67	84	48	0.19	<0.001	<0.0002	<0.001	<0.001	<0.001	0.3	<0.0001	0.004	0.012
QC01	CSM_BH08	14/09/2020	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0001	<0.001	<0.001	<0.001	-	<0.0001	0.002	<0.005
CSM_BH09S	CSM_BH09S	16/09/2020	Normal	6.5	350	91	<0.004	<10	59	<20	59	35	<5	6.4	<5	89	51	130	0.05	<0.001	<0.0002	<0.001	0.015	<0.001	0.89	<0.0001	0.006	0.031
CSM_BH10S	CSM_BH10S	15/09/2020	Normal	6.3	170	270	<0.004	<10	22	<20	22	32	<5	5.3	<5	35	23	62	0.08	<0.001	<0.0002	<0.001	0.088	0.003	0.51	<0.0001	0.01	0.086
GASW_BH10	GASW_BH10	14/09/2020	Normal	7.2	760	390	<0.004	<10	530	<20	530	420	83	50	9	120	190	<5	0.05	<0.001	<0.0002	<0.001	<0.001	<0.001	0.21	0.0002	0.018	0.008
GASW_BH11	GASW_BH11	16/09/2020	Normal	6.7	260	6100	<0.004	<10	120	<20	120	43	8.6	5.3	<5	37	37	45	0.12	<0.001	<0.0002	<0.001	0.01	<0.001	0.23	<0.0001	0.004	0.064
GASW_BH23	GASW_BH23	15/09/2020	Normal	-	-	-	0.006	-	-	-	-	-	-	-	-	-	-	-	0.19	0.002	<0.0002	<0.001	0.07	<0.001	0.2	<0.0001	0.011	0.064
GASW_BH25A	GASW_BH25A	16/09/2020	Normal	7.9	340	520	0.082	<10	230	<20	230	210	75	<5	<5	20	14	41	0.41	0.009	<0.0002	<0.001	<0.001	<0.001	0.052	0.0003	<0.001	<0.005
SRT_BH047	SRT_BH047	15/09/2020	Normal	7.9	290	49	<0.004	<10	95	<20	95	150	43	9.7	<5	27	22	10	<0.01	<0.001	<0.0002	<0.001	0.008	<0.001	<0.005	<0.0001	0.002	0.02
SRT_BH052	SRT_BH052	15/09/2020	Normal	7.6	270	1100	<0.004	<10	86	<20	86	74	24	<5	<5	44	45	35	0.01	<0.001	<0.0002	<0.001	0.007	<0.001	<0.005	<0.0001	<0.001	0.008
SRT_BH059	SRT_BH059	15/09/2020	Normal	7.8	250	970	<0.004	<10	180	<20	180	160	50	8.7	5.7	17	7.5	21	0.01	<0.001	<0.0002	<0.001	0.13	0.002	0.008	<0.0001	0.011	0.13

NOTES:
#1 - Ammonia criteria from ANZG (2018) - Marine water - 95% level of species protection



Table 1
Summary of Groundwater Analytical Results - September 2020

	Iron speciation	BTEXN								TRH - NEPM 2013							NEPM 2013 - SG Cle		
	Ferrous Iron	Naphthalene (BTEXN suite)	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup
EQL	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	0.05	10	1	1	1	1	2	3	1	20	20	50	50	100	100	100	50	100	100
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusior																			
2-4m		NL	5000	NL	NL			NL		6000		NL							
4-8m		NL	5000	NL	NL			NL		6000		NL							
>8m		NL	5000	NL	NL			NL		7000		NL							
NEPM 2013 Table 1C GILs, Marine Waters		50	500																
NHMRC Recreational Guidelines 2008 - Health			10	8000	3000			6000											
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-do			100	500	1000			1000											

Field_ID	Location_Code	Sampled_Date	Sample_Type																			
CSM_BH02	CSM_BH02	14/09/2020	Normal	2.6	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
QC02	CSM_BH02	14/09/2020	Field_D	-	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	-	-	-
CSM_BH04	CSM_BH04	14/09/2020	Normal	5.8	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
CSM_BH06	CSM_BH06	14/09/2020	Normal	8.8	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
CSM_BH08	CSM_BH08	14/09/2020	Normal	5.2	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
QC01	CSM_BH08	14/09/2020	Interlab_D	-	<5	<1	<2	<2	<2	<2	<2	<1	<20	<20	<100	<100	<100	<100	<100	-	-	-
CSM_BH09S	CSM_BH09S	16/09/2020	Normal	7.3	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
CSM_BH10S	CSM_BH10S	15/09/2020	Normal	<0.05	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
GASW_BH10	GASW_BH10	14/09/2020	Normal	3.6	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
GASW_BH11	GASW_BH11	16/09/2020	Normal	0.47	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	350	350	100	<100	450	<50	<100	<100
GASW_BH23	GASW_BH23	15/09/2020	Normal	2.3	<50	440	7	6	<5	<10	<15	-	220	670	240	240	300	<100	540	110	200	<100
GASW_BH25A	GASW_BH25A	16/09/2020	Normal	0.2	<4000	23,000	11,000	510	700	1400	2100	-	16,000	53,000	<4000	1800	900	<100	2700	500	<100	<100
SRT_BH047	SRT_BH047	15/09/2020	Normal	<0.05	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
SRT_BH052	SRT_BH052	15/09/2020	Normal	<0.05	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100
SRT_BH059	SRT_BH059	15/09/2020	Normal	0.06	<10	<1	<1	<1	<1	<2	<3	-	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100

NOTES:
#1 - Ammonia criteria from ANZG (2018) - Marine water - 95% level of spei



Table 1
Summary of Groundwater Analytical Results - September 2020

	TRH - NEPM 1999					RH - NEPM 1999 - SG Cleanup				PAHs - standard 16																
	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28 SG Cleanup	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo[k]fluoranthene	Benzo[g,h,i]perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc
EQL	20	50	100	100	100	50	100	100	100	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion																										
2-4m																										
4-8m																								NL		
>8m																								NL		
NEPM 2013 Table 1C GILs, Marine Waters																								50		
NHMRC Recreational Guidelines 2008 - Health														0.1												
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-domestic)																										5000

Field_ID	Location_Code	Sampled_Date	Sample_Type																									
CSM_BH02	CSM_BH02	14/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
QC02	CSM_BH02	14/09/2020	Field_D	<20	<50	<100	<100	<100	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
CSM_BH04	CSM_BH04	14/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
CSM_BH06	CSM_BH06	14/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
CSM_BH08	CSM_BH08	14/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
QC01	CSM_BH08	14/09/2020	Interlab_D	<20	<50	<100	<50	<50	-	-	-	-	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	
CSM_BH09S	CSM_BH09S	16/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
CSM_BH10S	CSM_BH10S	15/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
GASW_BH10	GASW_BH10	14/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
GASW_BH11	GASW_BH11	16/09/2020	Normal	<20	130	300	<100	430	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
GASW_BH23	GASW_BH23	15/09/2020	Normal	670	220	300	<100	520	130	200	100	430	0.28	0.15	0.5	0.47	0.72	0.49	0.53	0.47	0.42	0.14	1.2	0.87	0.36	1.7	0.81	
GASW_BH25A	GASW_BH25A	16/09/2020	Normal	53,000	1800	1200	<100	3000	630	<100	<100	630	0.79	0.27	0.58	0.17	0.23	0.13	0.14	0.12	0.12	0.03	1.1	1.8	0.08	21	2.2	
SRT_BH047	SRT_BH047	15/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
SRT_BH052	SRT_BH052	15/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
SRT_BH059	SRT_BH059	15/09/2020	Normal	<20	<50	<100	<100	<100	<50	<100	<100	<100	<0.01	<0.01	0.03	0.04	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	0.09	<0.01	<0.01	<0.01	0.08	

NOTES:
#1 - Ammonia criteria from ANZG (2018) - Marine water - 95% level of spei



Table 1
Summary of Groundwater Analytical Results - September 2020

	Phenols - Halogenated									Phenols - Non-Halogenated										Herbicides
	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol	Phenols (Total Non Halogenated)	Dinoseb
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	3	3	10	10	3	10	10	30	10	3	10	3	6	3	30	30	100	30	100	100
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion																				
2-4m																				
4-8m																				
>8m																				
NEPM 2013 Table 1C GILs, Marine Waters							11			400										
NHMRC Recreational Guidelines 2008 - Health	3000	2000		200			100													
Sydney Water Trade Waste Acceptance Standards 2018-19 (non-do																				

Field_ID	Location_Code	Sampled_Date	Sample_Type																				
CSM_BH02	CSM_BH02	14/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
QC02	CSM_BH02	14/09/2020	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM_BH04	CSM_BH04	14/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
CSM_BH06	CSM_BH06	14/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
CSM_BH08	CSM_BH08	14/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
QC01	CSM_BH08	14/09/2020	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM_BH09S	CSM_BH09S	16/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
CSM_BH10S	CSM_BH10S	15/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
GASW_BH10	GASW_BH10	14/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	26	<3	<30	<30	<100	<30	<100	<100
GASW_BH11	GASW_BH11	16/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
GASW_BH23	GASW_BH23	15/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	20	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
GASW_BH25A	GASW_BH25A	16/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	38	<10	26	14	6	<30	<30	<100	<30	<100	<100
SRT_BH047	SRT_BH047	15/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
SRT_BH052	SRT_BH052	15/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100
SRT_BH059	SRT_BH059	15/09/2020	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<100	<100

NOTES:
#1 - Ammonia criteria from ANZG (2018) - Marine water - 95% level of spei